

Sheet 1 of 8



<u>آ</u> ق


Sheet 2 of 8

2/8



Sheet 3 of 8


3/8



SEQ#: SEQUENCE NUMBER TX: TIME STAMP

Title: Method and Apparatus for Re-Synchronizing Paired Volumes Via Communication Line Applicant: Yasuaki Nakamura et al.


Sheet 4 of 8



Applicant: Yasuaki Nakamura et al.

Sheet 5 of 8





Sheet 6 of 8

	$(\neq)$		6/8					
RCU STATUS MANAGEMENT TABLE	S-VOL STATUS	DUPLEX	DUPLEX	SUSPEND	SUSPEND	SUSPEND	SUSPEND	
MANA	NOL VOL	1-0:01	1-0:02	1-0:01	1-0:02	1-0:01	1-0:02	
NT TABLE	PAIRED VOLUME RECREATION ATTRIBUTE	ENABLE † DISABLE	ENABLE	DISABLE	ENABLE	DISABLE	ENABLE	
NAGEME	S- VOL	1-0:01	1-0:02	1-0:01	1-0:02	1-0:01	1-0:02	
MCU STATUS MANAGEMENT TABLE	P-VOL STATUS	DUPLEX	DUPLEX	SUSPEND	SUSPEND 1-0:02	SUSPEND	SUSPEND	<i>\</i>
MCL	P-VOL	0-0:01	0-0:05	0-0:01	0-0:05	0-0:01	0-0:05	
N OF SLUME	T-VOL	DIPLEX	DUPLEX	DIE T-VOL	DUPLEX	SUSPEND	<b>†</b>	
STATUS TRANSITION PAIRED LOGICAL VOL	S-VOL	DUPLEX DUPLEX	S-VOL DUPLEX DUPLEX	SUSPEND DUPLEX	SUSPEND DUPLEX	SUSPEND SUSPEND	SUSPEND SUSPEND	
STATU	P-VOL	P-VOL STOP	P-VOL	SUSPEND 3		SUSPEND SE	•	
	DIVISION	Ξ	342	(2)	67	(3)	える	

	STAT	STATUS TRANSITION PAIRED LOGICAL VO	TON OF VOLUME	S NCO S	MCU STATUS MANAGEMENT TABLE	GEMEN'	T TABLE	MANAG	RCU STATUS MANAGEMENT TABLE
	P-VOL	S-VOL	T-V0L	P-VOL	P-VOL STATUS	S- VOL	PAIRED VOLUME RECREATION ATTRIBUTE	S- VOL	S-VOL STATUS
1	P-VOL	SI SPEND	SSENO.	0-0:01	SUSPEND	1-0:01	DISABLE	1-0:01	SUSPEND
		S-vol		0-0:02	DUPLEX	1-0:02	ENABLE	1-0:02	DUPLEX
	P-VOL		1	0-0:01	DUPLEX	1-0:01	DISABLE † ENABLE	1-0:01	DUPLEX
			<b>†</b>	0-0:05	DUPLEX	1-0:02	ENABLE	1-0:02	DUPLEX
1		10A-S	1	0-0:01	DUPLEX	1-0:01	ENABLE	1-0:01	DUPLEX
		DUPLEX DUPLEX	7	0-0:05	DUPLEX	1-0:02	ENABLE	1-0:02	DUPLEX
				\ 601	~ - -	~ - -	<b>~</b> -∕-09	~ ~ 605	<b>√909</b>

Steve Y. Cho, Reg. No. 44,612, (650) 326-2400
Attorney Docket No.: 16869S-022710US
Title: Method and Apparatus for Re-Synchronizing Paired Volumes Via Communication Line
Applicant: Yasuaki Nakamura et al.
Sheet 8 of 8

C	X	)
(	ſ	;
ī	l	_

#5A	/G#=0001	SNC	JUSTIFIED TIME = 00:00:00
P-VOL (MCU#-VOL#)	S-VOL (RCU#-VOL#)	STATUS	PAIRED VOLUME RECREATION ATTRIBUTE
0-0:01	1-0:01	DUPLEX	ENABLE
0-0:05	1-0:02	DUPLEX	ENABLE
0-0:03	1-0:03	SUSPEND	ENABLE
<b>b</b> 0:0-0	1-0:04	SUSPEND	DISABLE